EAST SEARCH

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	11	("4,985,697" "5,799,157" "6,052,717" "4,B55,725" "5,144,663" "5,438,372" "6,034,680" "5,093,718" "5,404,393" "5,479,268" "5,319,455").pn.	USPAT	OR	ON	2005/03/29 07:17
S2	11	("5,014,125" "5,481,296" "5,644,354" "5,724,091" "5,663,757" "5,793,414" "5,570,126" "5,940,073" "5,986,690" "5,446,490" "5,761,4B5").pn.	USPAT	OR	ON	2005/03/21 10:10
S5	7	("6,204,885" "5,477,262" "5,600,368" "4,381,522" "5,500,794" "5,396,546" "5,206,929").pn.	USPAT	OR	ON	2005/03/21 10:1B
S6	29	S1 S2 S5	USPAT	OR	ON	2005/03/21 10:18
S7	3	("6034680" "6052717" "4855725").pn.	USPAT	OR	ON	2005/03/21 10:19
SB	29	S6 S7	USPAT	OR	ON	2005/03/21 10:24
S9	2	("5986690" "6408437").pn.	USPAT	OR	ON	2005/03/21 11:19
S11	30	S8 S9	USPAT	OR	ON	2005/03/21 11:19
S12	0	S11 and queue	USPAT	OR	ON	2005/03/21 11:19
S13	1	"579B785".pn.	USPAT	OR	ON	2005/03/28 09:53
S14	0	WO95/95649.PTPN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 09:54
S15	1	"4855725".PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/28 09:56
S16	2	("60346B0" "6052717").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/2B 11:05
S17	1	("5990927").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/2B 12:27
S18	1371	hendricks.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/06 07:35

S19	30	hendricks.in. and book	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	200S/04/05 07:27
S20	1084	multiple adj queues	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/28 13:22
S21	6	(multiple adj queues) same download	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/28 13:23
S22	8	(multiple adj queues) same download$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/28 13:27
S23	0	(several adj queues) same download$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/28 13:27
S24	1	(parallel adj queues) same download$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/28 13:27
S25	4	(parallel near4 queues) same download$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/28 13:28
S26	26	(multiple near4 queues) same download$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/28 13:28
S27	18	S26 not S22	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/28 13:33
S28	23570	queues!	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	200S/03/28 13:33
S29	0	queues! same (book with download)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/28 13:33
S30	0	queues! same (book same download)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	200S/04/07 16:38

S31	14	on adj demand	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	200S/03/28 13:34
S32	1173S	((on adj demand) "on-demand")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	200S/03/28 13:34
S33	11727	("on-demand")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	200S/03/28 13:3S
S34	73	("on-demand") with book	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	200S/03/28 13:3S
S3S	0	("on-demand") with book same download	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	200S/03/28 13:36
S36	6	("on-demand") with book and download	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	200S/03/28 13:37
S37	48	("on-demand") with queue	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	200S/03/28 13:37
S38	0	("on-demand") with queue same book	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	200S/03/28 13:37
S39	0	("on-demand") with queue same download	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	200S/03/28 13:37
S40	1	("on-demand") same queue same download	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	200S/03/28 14:49
S41	0	("on-demand") same queue same (prefetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	200S/03/28 14:49
S42	1068	queue same (prefetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	200S/03/28 14:49

S43	S3	queue same (prefetch) and ((on adj demand) "on-demand")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/28 1S:00
S44	0	queue same (prefetch) and ((on adj demand) "on-demand") same book	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	200S/03/28 14:S0
S45	0	queue same (prefetch) and ((on adj demand) "on-demand") same media	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	200S/03/28 14:50
S46	0	queues! same (prefetch) and ((on adj demand) "on-demand")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	200S/03/28 15:01
S47	274	queues! same (prefetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	200S/03/28 1S:01
S48	32	queues! same (prefetch) and book	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/28 15:16
S49	90	secondary adj queue	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	200S/03/28 1S:16
S50	0	(secondary adj queue) and ((on adj demand) "on-demand")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	200S/03/28 1S:16
S51	11	(second$ adj queue) and ((on adj demand) "on-demand")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	200S/03/28 15:22
SS2	0	(second$ adj queue) and (partial near3 (download$ fetch$))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/28 1S:23
SS3	60	(queue) and (partial near3 (download$ fetch$))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/28 1S:23
SS4	6	(queue) same (partial near3 (download$ fetch$))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	200S/03/28 1S:23

S55	2	prefetch near4 (book)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 07:17
S56	6496	prefetch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 08:38
S57	8313	prefetch$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 08:39
S58	1267	prefetch$ same queue	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 08:39
S59	1310	prefetch$ same queu$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 08:39
S60	145	prefetch$ same ((multiple several many) with queu$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 08:39
S61	114	prefetch$ with ((multiple several many) with queu$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 08:39
S62	0	prefetch$ with ((multiple several many) with queu$) same book	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 08:40
S63	38	prefetch$ with ((multiple several many) with queu$) same data	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 08:40
S64	2	prefetch$ with ((multiple several many) adj queu$) same data	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 08:41
S65	3	prefetch$ with ((multiple several many) adj queu$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 08:44
S66	24	prefetch$ with ((multiple several many) near2 queu$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 08:41

S67	11	prefetch$ same ((multiple several many) adj queu$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 08:47
S68	16	prefetch$ same ((plurality) adj queu$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 08:58
S69	41	prefetch$ same ((plurality) near2 queu$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 08:58
S70	25	S69 not 568	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 09:36
S71	5015	round-robin	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	200S/03/29 09:36
S72	590	round-robin with queue	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 09:36
573	40	round-robin with queue with (dump empty empties delete clear)	US-PGPUB; U5PAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 09:37
S74	19	round-robin with queues! with (dump empty empties delete clear)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 09:38
S75	25	round-robin with queues! with (dump empty empties emptied delete clear)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	200S/03/29 10:0S
S76	37	timer with queues! with (dump empty empties emptied delete clear)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 10:05
S77	39	(timer timeout) with queues! with (dump empty empties emptied delete clear)	U5-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 10:06

S78	27	(US-4855725-$ or US-5408465-$ or US-5544342-$ or US-5737747-$ or US-5790935-$ or US-5798785-$ or US-5822787-$ or US-5829046-$ or US-5892915-$ or US-5898852-$ or US-5974503-$ or US-5986690-$ or US-5990927-$ or US-6034680-$ or US-6052717-$ or US-6263364-$ or US-6281986-$ or US-6393457-$ or US-5367643-$ or US-5497459-$ or US-5986677-$ or US-5345580-$ or US-6813249-$ or US-6535505-$ or US-6611531-$ or US-5881269-$).did. or (WO-9515649-$).did.	USPAT; EPO	OR	ON	2005/03/29 11:16
S79	8	S78 and (time with limit)	USPAT; EPO	OR	ON	2005/03/29 11:17
S80	12	S78 and (threshold)	USPAT; EPO	OR	ON	2005/03/29 11:18
S81	6	S78 and (timeout)	USPAT; EPO	OR	ON	2005/03/29 11:19
S82	5	S78 and (time with expire)	USPAT; EPO	OR	ON	2005/03/29 11:20
S83	64	(time with expire) with force	USPAT; EPO	OR	ON	2005/03/29 13:01
S84	27	((time with expire) with force) and network	USPAT; EPO	OR	ON	2005/03/29 12:39
S85	8	((time with expire) with forcing) and network	USPAT; EPO	OR	ON	2005/03/29 12:42
S86	14	((time with expir$) with forcing) and network	USPAT; EPO	OR	ON	2005/03/29 12:41
S87	6	S86 not S85	USPAT; EPO	OR	ON	2005/03/29 12:41
S88	12	((timeout) with forcing) and network	USPAT; EPO	OR	ON	2005/03/29 12:42
S89	105	((timeout) with (force forcing)) and network	USPAT; EPO	OR	ON	2005/03/29 12:50
S90	2	(time with (runs adj out)) with forcing	USPAT; EPO	OR	ON	2005/03/29 12:50
S91	7	((timeout) with (force forcing)) same network	USPAT; EPO	OR	ON	2005/03/29 12:57
S92	1168	(time with threshold) with (force forcing)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 12:58
S93	7	(time with threshold) with (force forcing) same network	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 12:58

S94	27	(time with expire) with force and network	USPAT; EPO	OR	ON	200S/03/29 13:02
S9S	7	(time with expire) with force same network	USPAT; EPO	OR	ON	200S/03/29 13:03
S96	5031	(maximum with time) with force	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	200S/03/29 13:04
S97	103	(maximum adj time) with force	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 13:09
S98	1	(maximum adj time) with force same network	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	200S/03/29 13:04
S99	11	(maximum adj time) with force and network	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	200S/03/29 13:07
S10 0	3	(maximum adj time) with force and transaction	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	200S/03/29 13:08
S10 1	16	(time near4 threshold) with forcing	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	200S/03/29 13:10
S10 2	4	(time near4 threshold) with forcing and network	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	200S/03/29 13:11
S10 3	0	(timing near4 threshold) with forcing and network	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 13:11
S10 4	2	(timer near4 threshold) with forcing and network	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 13:12
S10 S	6306	service adj time	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	200S/03/29 13:12
S10 6	21	service adj time adj limit	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 13:13

S107	18	service adj time adj limit and network	U5-PGPUB; U5PAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 13:13
S108	5	service adj time adj limit same network	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 13:13
S109	13	S107 not S108	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 13:33
5110	148	((max maximum) adj threshold) with function	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 13:33
5111	13	((max maximum) adj threshold) with function same (network processor)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 13:34
5112	32	((max maximum) adj time) with function same (network processor)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 13:36
S113	346	((max maximum) adj time) with request	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 13:36
S114	74	((max maximum) adj time) with request same (network processor)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	200S/03/29 13:36
5115	47	((max maximum) adj time) with request same (network)	US-PGPUB; U5PAT; EPO; JPO; IBM_TDB	OR	ON	200S/03/29 13:36
S116	5	((max maximum) adj time) with request same wait same (network)	U5-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 13:37
5117	15	((max maximum) adj time) with request same wait same (network processor)	US-PGPUB; U5PAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 13:38
S118	10	S117 not S116	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 13:40

S11 9	14	wait near4 (max maximum) with (force forcing)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	200S/03/29 13:43
S12 0	2	wait near4 (threshold) with (force forcing)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	200S/03/29 13:42
S12 1	1S	wait near4 (max maximum) with threshold	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 13:46
S12 2	321	(max maximum) adj wait	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	200S/03/29 13:46
S12 3	4	(max maximum) adj wait with (force forcing)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 14:06
S12 4	0	request with (chapter adj by adj chapter)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	200S/03/29 14:06
S12 S	0	request with (page adj by adj page)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 14:07
S12 6	17	request with (page-by-page)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 14:14
S12 7	0	request with (chapter-by-chapter)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	200S/03/29 14:07
S12 8	730	request same (page adj table)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 14:15
S12 9	338	request with (page adj table)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 14:1S
S13 0	21	request adj (page adj table)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	200S/03/29 14:17

S13 1	0	request adj (whole adj chapter)	US-PGPUB; U5PAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 14:17
S13 2	0	requesting adj (whole adj chapter)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 15:03
513 3	9274	request$ adj second	U5-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 15:03
513 4	3	request$ adj second adj section	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 15:04
S13 5	0	request$ adj second adj chapter	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 15:04
513 6	20	request$ adj second adj page	U5-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 15:04
S13 7	35	(US-4855725-$ or US-5408465-$ or US-5544342-$ or US-5737747-$ or US-5790935-$ or U5-5798785-$ or US-5822787-$ or US-5829046-$ or US-5892915-$ or US-5898852-$ or U5-5974503-$ or US-5986690-$ or U5-5990927-$ or US-6034680-$ or U5-6052717-$ or U5-6263364-$ or US-6281986-$ or U5-6393457-$ or US-5367643-$ or U5-5497459-$ or US-5986677-$ or U5-5345580-$ or U5-6813249-$ or US-6535505-$ or U5-6611531-$ or US-5881269-$).did. or (US-6115040-$ or US-5936659-$ or U5-5774735-$ or U5-4694483-$ or US-6556561-$ or U5-6542919-$ or U5-5903901-$).did. or (WO-9515649-$).did. or (JP-09138810-$).did.	USPAT; EPO; JPO	OR	ON	2005/03/29 15:51
513 8	4	S137 and book and magazine	U5PAT; EPO; JPO	OR	ON	2005/03/29 15:51
S13 9	10	S137 and book	U5PAT; EPO; JPO	OR	ON	2005/03/29 15:51
S14 0	8	S137 and book and period$	USPAT; EPO; JPO	OR	ON	2005/03/29 15:52

S141	35	(US-4694483-$ or US-4855725-$ or US-5345580-$ or US-5367643-$ or US-5408465-$ or US-5497459-$ or US-5544342-$ or US-5737747-$ or US-5774735-$ or US-5790935-$ or US-5798785-$ or US-5822787-$ or US-5829046-$ or US-5881269-$ or US-5892915-$ or US-5898852-$ or US-5903901-$ or US-5936659-$ or US-5974503-$ or US-5986677-$ or US-5986690-$ or US-5990927-$ or US-6034680-$ or US-6052717-$ or US-6115040-$ or US-6263364-$).did. or (US-6281986-$ or US-6393457-$ or US-6535505-$ or US-6542919-$ or US-6556561-$ or US-6611531-$ or US-6813249-$).did. or (WO-9515649-$).did. or (JP-09138810-$).did.	USPAT; EPO; JPO	OR	ON	2005/03/31 10:46
S142	10	S141 and broadcast	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/31 09:12
S143	10	S141 and (broadcast multicast) and (cycle cyclical periodic$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/31 09:12
S144	35	(US-4694483-$ or US-4855725-$ or US-5345580-$ or US-5367643-$ or US-5408465-$ or US-5497459-$ or US-5544342-$ or US-5737747-$ or US-5774735-$ or US-5790935-$ or US-5798785-$ or US-5822787-$ or US-5829046-$ or US-5881269-$ or US-5892915-$ or US-5898852-$ or US-5903901-$ or US-5936659-$ or US-5974503-$ or US-5986677-$ or US-5986690-$ or US-5990927-$ or US-6034680-$ or US-6052717-$ or US-6115040-$ or US-6263364-$).did. or (US-6281986-$ or US-6393457-$ or US-6535505-$ or US-6542919-$ or US-6556561-$ or US-6611531-$ or US-6813249-$).did. or (WO-9515649-$).did. or (JP-09138810-$).did.	USPAT; EPO; JPO	OR	ON	2005/03/31 10:47
S145	17	S144 and packet	USPAT; EPO; JPO	OR	ON	2005/03/31 10:48
S146	14	S144 and header	USPAT; EPO; JPO	OR	ON	2005/03/31 15:29

S14 7	9	S145 and S146	USPAT; EPO; JPO	OR	ON	2005/03/31 10:47
S14 8	35	(US-4694483-$ or US-48SS72S-$ or US-S34SS80-$ or US-S367643-$ or US-S408465-$ or US-S4974S9-$ or US-SS44342-$ or US-5737747-$ or US-5774735-$ or US-5790935-$ or US-5798785-$ or US-5822787-$ or US-S829046-$ or US-S881269-$ or US-S89291S-$ or US-S8988S2-$ or US-S903901-$ or US-S9366S9-$ or US-S974S03-$ or US-S986677-$ or US-S986690-$ or US-S990927-$ or US-6034680-$ or US-60S2717-$ or US-6115040-$ or US-6263364-$).did. or (US-6281986-$ or US-6393457-$ or US-6S35S05-$ or US-6542919-$ or US-6556561-$ or US-6611531-$ or US-6813249-$).did. or (WO-9515649-$).did. or (JP-09138810-$).did.	USPAT; EPO; JPO	OR	ON	2005/03/31 15:29
S14 9	2	S148 and (parallel with queue)	USPAT; EPO; JPO	OR	ON	2005/03/31 1S:31
S1S 0	89	(parallel with priority with queue)	USPAT; EPO; JPO	OR	ON	2005/03/31 1S:31
S15 1	42	(parallel with priority adj queue)	USPAT; EPO; JPO	OR	ON	2005/03/31 15:32
S15 2	3	(parallel adj priority adj queue)	USPAT; EPO; JPO	OR	ON	2005/03/31 15:32
S15 3	4	(parallel adj priority with queue)	USPAT; EPO; JPO	OR	ON	2005/03/31 15:32
S15 4	0	(parallel with priority adj queue) and broadcast	USPAT; EPO; JPO	OR	ON	2005/03/31 1S:32
S15 5	9	(parallel with priority adj queue) and book	USPAT; EPO; JPO	OR	ON	200S/03/31 15:33
S15 6	33	S1S1 not S1SS	USPAT; EPO; JPO	OR	ON	2005/03/31 15:34
S15 7	30	S156 not S153	USPAT; EPO; JPO	OR	ON	2005/03/31 15:41
S15 8	19	S148 and priority	USPAT; EPO; JPO	OR	ON	2005/03/31 15:41
S1S 9	3	S148 and (equal with priority)	USPAT; EPO; JPO	OR	ON	2005/03/31 15:S3
S16 0	1	S148 and (length with based)	USPAT; EPO; JPO	OR	ON	2005/03/31 15:53
S16 1	1	S148 and (length with priority)	USPAT; EPO; JPO	OR	ON	2005/03/31 1S:57

S16 2	3	S148 and (length with queue)	USPAT; EPO; JPO	OR	ON	2005/03/31 15:54
S16 3	3	S148 and (length same priority)	USPAT; EPO; JPO	OR	ON	2005/03/31 15:57
S16 5	4	S148 and (length same equal)	USPAT; EPO; JPO	OR	ON	2005/03/31 16:02
S16 6	976	priority with based with queue	USPAT; EPO; JPO	OR	ON	2005/03/31 16:02
S16 7	40	priority with based with queue with length	USPAT; EPO; JPO	OR	ON	2005/03/31 16:11
S16 8	3	priority with based with queue with length and book	USPAT; EPO; JPO	OR	ON	2005/03/31 16:08
S16 9	2	priority with based with queue with length and broadcast	USPAT; EPO; JPO	OR	ON	2005/03/31 16:09
S17 0	1	"5790935".pn. and broadcast same subscrib$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/02 12:33
S17 1	1	"5790935".pn. and (request same multiple)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/02 12:43
S17 2	1	"5790935".pn. and (request same (several many some))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/02 12:43
S17 3	36	(US-4694483-$ or US-4855725-$ or US-5345580-$ or US-5367643-$ or US-5408465-$ or US-5497459-$ or US-5544342-$ or US-5737747-$ or US-5774735-$ or US-5790935-$ or US-5798785-$ or US-5822787-$ or US-5829046-$ or US-5881269-$ or US-5892915-$ or US-5898852-$ or US-5903901-$ or US-5923656-$ or US-5936659-$ or US-5974503-$ or US-5986677-$ or US-5986690-$ or US-5990927-$ or US-6034680-$ or US-6052717-$ or US-6115040-$).did. or (US-6263364-$ or US-6281986-$ or US-6393457-$ or US-6535505-$ or US-6542919-$ or US-6556561-$ or US-6611531-$ or US-6813249-$).did. or (WO-9515649-$).did. or (JP-09138810-$).did.	USPAT; EPO; JPO	OR	ON	2005/04/02 13:07
S17 4	7	S173 and (broadcast same (multiple several many))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/02 13:09

S17 5	2	S173 and (multicast same (multiple several many))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/02 13:12
S17 6	16	S173 and (request same (multiple several many))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/02 13:34
S17 7	10	S173 and broadcast	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/02 13:35
S17 8	1192	simultaneous with broadcast	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/02 13:36
S17 9	66	(simultaneous with broadcast) same subscriber	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/02 13:36
S18 0	5	(simultaneous with broadcast) same subscriber and book	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/02 13:36
S18 2	3	("5990927" "5798785" "5986690").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 11:19
S18 3	1	S182 and kiosk	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 11:19
S18 4	489	(second adj section) with before with (first adj section)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 14:55
S18 5	2	(second adj section) adj before adj (first adj section)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 14:56
S18 6	176	(second adj section) near3 before near3 (first adj section)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 14:56
S18 7	65	(second adj section) near2 before near2 (first adj section)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 14:56

S18 8	28	((second adj section) near2 before near2 (first adj section)) and computer	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 16:50
S18 9	0	send$ with ((second near section) with before with (first near section))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 15:00
S19 0	575	((second near section) with before with (first near section))	U5-PGPUB; U5PAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 16:49
S19 1	0	((second near section) with before with (first near section)) same book	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 15:00
519 2	3	((second near section) with before with (first near section)) same content	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 15:01
S19 3	5	((second near section) with before with (first near section)) same computer	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 15:11
S19 4	46	((second with section) with before with (first with section)) same computer	U5-PGPUB; U5PAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 16:14
519 5	129	(second with (content book section)) with before with (first with (content book section)) same computer	U5-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 15:15
S19 6	59	(second with (content book section)) with before with (first with (content book section)) same computer and network	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 15:15

\

519 7	37	(US-4694483-$ or US-4855725-$ or US-5345580-$ or US-5367643-$ or US-5408465-$ or US-5497459-$ or US-5544342-$ or US-5737747-$ or US-5774735-$ or US-5790176-$ or US-5790935-$ or US-5798785-$ or US-5822787-$ or U5-5829046-$ or US-5881269-$ or US-5892915-$ or US-5898852-$ or US-5903901-$ or US-5923656-$ or US-5936659-$ or U5-5974503-$ or US-5986677-$ or US-5986690-$ or US-5990927-$ or US-6034680-$ or U5-6052717-$).did. or (U5-6115040-$ or US-6263364-$ or U5-6281986-$ or US-6393457-$ or US-6535505-$ or US-6542919-$ or US-6556561-$ or US-6611531-$ or US-6813249-$).did. or (WO-9515649-$).did. or (JP-09138810-$).did.	USPAT; EPO; JPO	OR	ON	2005/04/04 15:48
S19 8	4	S197 and overwrite	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 15:48
S19 9	5	5197 and overwrit$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 15:48
S20 0	0	((second near section) with before with (first near section)) same overwrit$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 15:50
520 1	6	((second near section) with before with (first near section)) and overwrit$	U5-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 16:32
S20 2	4	((second adj section) near2 before near2 (first adj section)) and computer not temperature	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 16:50
520 3	5	main near3 overwrit$ near3 (second auxiliary additional)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 07:28
S20 5	27	main with overwrit$ near3 (second auxiliary additional)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 07:31

S20 7	1	"5761468".pn. and overwrit$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 07:47
S20 8	20	overwrit$ adj subsequent adj data	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 07:50
S20 9	1	overwrit$ adj subsequent adj information	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 07:51
S21 0	626	interface with overwrit$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 07:51
S21 1	0	main adj interface with overwrit$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 07:51
S21 2	198	interface with overwrit$ near4 data	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 07:51
S21 3	188	interface with overwrit$ near3 data	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 07:52
S21 4	6	interface with overwrit$ near3 (subsequent second$) near2 data	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 07:57
S21 5	1	"6252879".pn. and overwrit$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 07:58
S21 6	1	"6252876".pn. and overwrit$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 08:03
S21 7	4294	second adj section adj first	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 08:03
S21 8	1	(second adj section adj first) with overwrit$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 08:03

S21 9	1	(second adj section adj first) same overwrit$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 08:03
S22 0	217	provid$ with (second adj section adj first)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 08:04
S22 1	6	provid$ with (second adj section adj first) and computer and network	U5-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 08:05
522 2	163	(second adj section adj first) and computer and network	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	200S/04/0S 08:0S
S22 4	5	suppl$ with (second adj section adj first) and computer and network	US-PGPUB; U5PAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 08:06
S22 S	12	(second adj section adj first) and overwrit$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/0S 08:06
S22 6	21	(second adj section adj first) with before	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 08:07
S22 7	3	(second adj section adj first) with before and computer	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	200S/04/0S 08:08
522 8	9	(second adj section adj first) with after and computer	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 08:15
S22 9	2	(send sending) with ("out of order" "wrong order")	U5-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 08:16
S23 0	572	("out of order" "wrong order")	US-PGPUB; U5PAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 09:45
S23 1	4561	order near2 arbitrary	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	200S/04/05 09:4S

S23 2	3	(order near2 arbitrary) with provid$ with content	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 09:47
S23 3	1	"6374404".pn. and order	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 09:47
S23 4	3	(order near2 arbitrary) same provid$ with content	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 09:48
S23 5	3	(order near3 arbitrary) same provid$ with content	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 09:48
S23 6	3	(order near arbitrary) same provid$ with content	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 09:48
S23 7	2	(order near arbitrary) with fetch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 09:48
S23 8	13	hendricks.in. and (electronic adj book)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/06 07:35
S23 9	41	(US-4694483-$ or US-4855725-$ or US-5345580-$ or US-5367643-$ or US-5408465-$ or US-5497459-$ or US-5544342-$ or US-5729711-$ or US-5737747-$ or US-5761468-$ or US-5774735-$ or US-5790176-$ or US-5790935-$ or US-5798785-$ or US-5822787-$ or US-5829046-$ or US-5881269-$ or US-5892915-$ or US-5898852-$ or US-5903901-$ or US-5923656-$ or US-5936659-$ or US-5974503-$ or US-5986677-$ or US-5986690-$ or US-5990927-$).did. or (US-6034680-$ or US-6052717-$ or US-6115040-$ or US-6252876-$ or US-6252879-$ or US-6263364-$ or US-6281986-$ or US-6393457-$ or US-6535505-$ or US-6542919-$ or US-6556561-$ or US-6611531-$ or US-6813249-$).did. or (WO-9515649-$).did. or (JP-09138810-$).did.	USPAT; EPO; JPO	OR	ON	2005/04/06 13:43

S240	0	S239 and (group adj profile)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/06 13:44
S241	3	S239 and (group with profile)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/06 13:S7
S242	3	S239 and (group with profile) and group and profile	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/06 13:57
S243	2952	709/219.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/07 16:3B
S244	2598	709/206.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/07 16:3B
S24S	168	S243 and S244	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/07 16:3B
S246	36	S243 and S244 and book	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	200S/04/07 16:38
S247	462	S243 and book	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/07 16:39
S248	538	S244 and book	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/07 16:39